



Exceptional Quality

SYNTROL Lubricants are formulated with premium base oils and advanced additive systems, delivering maximum protection against wear, friction, and heat stress. Count on SYNTROL to keep your engine operating at its best with reliability you can trust.

Optimized Performance

Experience smoother, more powerful driving with SYNTROL. Our oils are designed to maintain engine cleanliness, minimize sludge and deposits, and support better fuel efficiency—helping your engine perform at peak levels in every condition.

Engine Protection & Longevity

Built for endurance, SYNTROL Lubricants defend your engine against harmful contaminants while reducing friction and wear. With consistent lubrication, they extend engine life and ensure long-lasting performance mile after mile.

All-in-One Range

From cars and SUVs to motorcycles and heavy-duty equipment, SYNTROL offers a complete portfolio of motor oils to suit every need. Whatever you drive, SYNTROL has the right solution to power and protect your engine.







ENGINE OIL

FULLY SYNTHETIC

SAE: 0W20 API: SP

SYNTROL ENGINE OIL 0W20 is a premium engine oil formulated with high-quality base stocks and advanced additives to ensure maximum protection and performance. Suitable for modern gasoline engines with direct injection, multi-valve, and turbocharger technologies, it delivers excellent wear protection, cleaner operation, and reliable performance under diverse driving conditions.

SPECIFICATIONS:

API SP ILSAC GF-6B ACEA C5 GM dexos1™ Gen 2 Honda HTO-06 Toyota & Lexus approval for hybrid and fuel-efficient engines



ENGINE OIL

FULLY SYNTHETIC

SAE: 5W20 API: SP

SYNTROL ENGINE OIL 5W20 is a premium fully synthetic engine oil formulated to meet the demands of modern gasoline engines. It provides superior wear protection, enhanced fuel efficiency, and excellent control against deposits and LSPI, ensuring clean, efficient, and reliable performance for vehicles equipped with turbochargers and direct injection systems.

SPECIFICATIONS:

API SP II SAC GE-6A ACEA C5 / C6 GM dexos1™ Gen 2 Ford WSS-M2C947-A, WSS-M2C947-B1 WSS-M2C962-A1 Chrysler MS-6395



ENGINE OIL

FULLY SYNTHETIC

SAE: 5W30 API: SP

SYNTROL ENGINE OIL 5W30 is a premium fully synthetic engine oil formulated to meet the demands of modern gasoline engines. It provides superior wear protection, enhanced fuel efficiency, and excellent control against deposits and LSPI, ensuring clean, efficient, and reliable performance for vehicles equipped with turbochargers and direct injection systems.

SPECIFICATIONS:

API SP ILSAC GF-6A ACEA A1/B1, A5/B5 Ford WSS-M2C945-A WSS-M2C945-B1 Chrysler MS-6395 GM dexos1™ Gen 2



FULLY SYNTHETIC

ENGINE OIL SAE: 10W30 API: SP

SYNTROL ENGINE OIL 10W30 is a premium synthetic-blend engine oil formulated for modern gasoline engines. It provides excellent wear protection, strong deposit control, and reliable performance under a wide range of operating conditions. Ideal for engines with turbochargers and direct injection, it ensures smooth, efficient, and long-lasting engine operation.

SPECIFICATIONS:

API SP ILSAC GF-6B ACEA C5 GM dexos1™ Gen 2 Honda HTO-06 Toyota & Lexus approval for hybrid and fuel-efficient engines











ENGINE OIL

FULLY SYNTHETIC

SYNTROL ENGINE OIL 0W20 is a premium engine oil formulated with high-quality base stocks and advanced additives to ensure maximum protection and performance. Suitable for modern gasoline engines with direct injection, multi-valve, and turbocharger technologies, it delivers excellent wear protection, cleaner operation, and reliable performance under diverse driving conditions.

SPECIFICATIONS: API SP ILSAC GF-6B ACEA C5 GM dexos1™ Gen 2 Honda HTO-06 Toyota & Lexus approval for hybrid and fuel-efficient engines




SYNTROL Gasoline Engine Oil a premium performance lubricant specially engineered to deliver superior protection and efficiency for modern gasoline engines. Formulated with high-quality base oils and advanced additive technology, it ensures outstanding wear control, minimizes deposits, and enhances engine cleanliness. Designed to meet the demanding requirements of today's driving conditions, SYNTROL keeps engines running smoother, cooler for longer.

Engineered for Maximum Performance.













DIESEL ENGINE OIL

SAE: 15W40 API: CK-4

SYNTROL DIESE ENGINE OIL 15W40 API CK-4 is a premium high-performance engine oil designed for modern diesel and gasoline engines. Formulated with advanced base stocks and additives, it delivers superior wear protection, excellent thermal stability, and effective deposit control. It ensures reliable engine performance, fuel efficiency, and long-lasting protection under severe and varied operating conditions.

SPECIFICATIONS: API CK-4 MB-Approval 228.3 / 229.1 s) MAN M3275 Volvo VDS-3 / VDS-2 Renault RLD / RLD-2 Cummins CES 20076 / 20077 / 20078 MTU Type 2 Deutz DQC III-10 Caterpillar ECF-1a / ECF-2



DIESEL ENGINE OIL

SAE: 15W40 API: CI-4

SYNTROL DIESE ENGINE OIL 15W40 API CI-4 is a premium engine oil designed for modern diesel and gasoline engines. Formulated with high-quality base stocks and advanced additives, it provides excellent wear protection, superior thermal stability, and effective deposit control. It ensures smooth, reliable, and efficient engine performance under a wide range of operating conditions.

SPECIFICATIONS API CI-4 ACEA E9 / A3/B4 MB-Approval 228.3 / 229.1 MAN M3275 Volvo VDS-3 / VDS-2 Renault RLD / RLD-2 Cummins CES 20076 / 20077 / 20078 Mack EO-M Plus / EO-N Premium Plus Detroit Diesel 93K215 / 93K218



DIESEL ENGINE OIL

SAE: 20W50 API: CH4

SYNTROL DIESE ENGINE OIL 10W40 API CH-4 is a premium high-performance engine oil designed for modern diesel and gasoline engines. Formulated with advanced base stocks and additives, it delivers superior wear protection, excellent thermal stability, and effective deposit control. It ensures reliable engine performance, fuel efficiency, and long-lasting protection under severe and varied operating conditions.

SPECIFICATIONS: API CI-4 ACEA E7 / A3/B4 MB-Approval 228.3 / 229.1 MAN M3275 Volvo VDS-3 Renault RLD-2 Mack EO-M Plus Cummins CES 20076 / 20077









AUTOMATIC TRANSMISISON FLUID

ATF DEXRON-IV

SYNTROL ATF DEXRON IV is a premium automatic transmission fluid formulated to meet the latest Dexron IV specifications. It provides excellent friction stability, smooth shifting, and superior wear protection. Designed for modern automatic transmissions, it ensures reliable performance, extended transmission life, and optimal operation under a wide range of all driving conditions.





AUTOMATIC TRANSMISISON FLUID

ATF DEXRON-III

SYNTROL ATF ATF DEXRON III is a premium automatic transmission fluid formulated to meet Dexron III specifications. It provides excellent friction stability, smooth shifting, and superior wear protection. Designed for automatic transmissions requiring Dexron III, it ensures reliable performance, extended transmission life, and optimal operation across a wide range of driving conditions and tempera-





AUTOMATIC TRANSMISISON FLUID

SYNTROL ATF ATF TYPE-A is a high-quality automatic transmission fluid specifically formulated for Type-A systems. It delivers smooth shifting, reliable friction performance, and excellent anti-wear protection. Engineered for older and classic automatic transmissions, it ensures long service life, consistent operation, and optimal performance across a wide range of temperatures and driving conditions.







GEAR OIL





GEAR OIL

SAE: 75W90 API: GL-5

SYNTROL GEAR OIL SAE 75W90 API GL-5 is a high-performance fully synthetic gear oil engineered for manual transmissions and differentials. Developed with advanced base oils and modern additive technology, it provides exceptional wear protection, outstanding load-carrying capacity, and excellent thermal and oxidation stability. It ensures smooth gear shifting, reduced friction, and reliable performance even under extreme pressure and wide temperature variations.





GEAR OIL

SAE: 85W140 API: GL-5

SYNTROL GEAR OIL SAE 85W140 API GL-5 is a premium fully synthetic gear oil designed for manual transmissions and differentials. Formulated with advanced base oils and additives, it delivers excellent wear protection, high load-carrying capacity, and superior thermal and oxidation stability. It ensures smooth operation, reduced friction, and long-lasting performance under severe and varied driving conditions.





GEAR OIL

SAE: 90 API: GL-4

SYNTROL GEAR OIL SAE 140 API GL-4 is a high-quality gear oil designed for manual transmissions and differentials operating under severe conditions. Formulated with premium base oils and advanced additives, it provides excellent wear protection, high load-carrying capacity, and superior thermal and oxidation stability, ensuring smooth operation and long-lasting performance.





GEAR OIL

SAE: 90 API: GL-4

SYNTROL GEAR OIL SAE 90 API GL-4 is a high-quality gear oil designed for manual transmissions and differentials operating under severe conditions. Formulated with premium base oils and advanced additives, it provides excellent wear protection, high load-carrying capacity, and superior thermal and oxidation stability, ensuring smooth operation and long-lasting performance.









HYDRAULIC OIL

AW-10

SYNTROL Hydraulic Oil AW 10 is a premium anti-wear hydraulic fluid designed for high-pressure hydraulic systems. Formulated with superior base oils and advanced additives, it provides excellent wear protection, oxidation stability, and rust and corrosion prevention. It ensures smooth, reliable operation, efficient power transmission, and long-lasting performance under severe operating conditions.





HYDRAULIC OIL

ISO 68

SYNTRO Hydraulic Oil ISO 68 is a high-performance anti-wear hydraulic oil designed for use in a wide range of industrial and mobile hydraulic systems. Formulated with premium base oils and fortified with advanced additives, it provides superior wear protection, excellent rust and corrosion resistance, and effective foam control. Its outstanding oxidation and thermal stability help extend oil life, reduce maintenance, and ensure smooth, efficient operation of hydraulic pumps, motors, and control systems even under demanding conditions.





HYDRAULIC OIL

ISO 46

SYNTRO Hydraulic Oil ISO 46 is a premium anti-wear hydraulic oil engineered for high-performance hydraulic systems in industrial and mobile equipment. Blended with high-quality base oils and advanced additive technology, it provides excellent wear protection, superior rust and corrosion resistance, and reliable foam control. With outstanding oxidation and thermal stability, it extends oil life, minimizes maintenance, and ensures smooth, efficient operation of pumps, valves, and hydraulic components under demanding operating conditions.





HYDRAULIC OIL

ISO 32

SYNTRO Hydraulic Oil ISO 32 is a high-quality anti-wear hydraulic oil designed for precision hydraulic systems operating under light to moderate conditions. Formulated with premium base oils and advanced additive technology, it offers reliable wear protection, excellent rust and corrosion resistance, and effective foam suppression. Its strong oxidation and thermal stability help extend oil life, reduce downtime, and ensure smooth and efficient operation of pumps, valves, and other hydraulic components.



4T ENGINE OIL





4T ENGINE OIL

SAE: 10W40 API: SN JASO MA2

SYNTROL 4T ENGINE OIL 10W40 API SN JASO MA2 is a high-performance engine oil specially formulated for motorcycles and scooters. It provides excellent wear protection, smooth clutch operation, and superior thermal stability. Designed to keep engines and transmissions clean, it ensures reliable performance, fuel efficiency, and long-lasting protection under varied riding conditions.





SAE: 20W40 API: SL JASO MA2

SYNTROL 4T ENGINE OIL 20W40 API SL JASO MA2 is a high-quality engine oil formulated for motorcycles and scooters. It delivers excellent wear protection, smooth clutch engagement, and superior thermal stability. Designed to keep engines and transmissions clean, it ensures reliable performance, fuel efficiency, and long-lasting protection under a wide range of riding and operating conditions.





4T ENGINE OIL

SAE: 20W50 API: SN JASO MA

SYNTROL 4T ENGINE OIL 20W50 API SN JASO MA2 is a high-performance engine oil formulated for motorcycles and scooters. It delivers excellent wear protection,

www.syntrollube.com









BRAKE FLUID

DOT-4

SYNTROL BRAKE FLUID DOT-4 is a high-quality brake fluid formulated to meet the performance requirements of DOT-4 specifications. It provides reliable and consistent braking performance across a wide range of temperatures, offering excellent protection against vapor lock, corrosion, and brake system wear. Suitable for use in disc, drum, and ABS brake systems of passenger cars and light commercial vehicles, it ensures safe and responsive braking under both normal and demanding driving conditions.





BRAKE FLUID

DOT-3

SYNTROL BRAKE FLUID DOT-3 is a high-quality brake fluid formulated to meet the performance requirements of DOT-3 specifications. It provides reliable and consistent braking performance across a wide range of temperatures, offering excellent protection against vapor lock, corrosion, and brake system wear. Suitable for use in disc, drum, and ABS brake systems of passenger cars and light commercial vehicles, it ensures safe and responsive braking under both normal and demanding driving conditions.







Complete rang of

Automoive and industrial lubricants

MOTOR ENGINE OIL



DIESEL ENGINE OIL



TRANSMISSION OIL



GEAR OIL



HYDRAULIC OIL



4T ENGINE OIL



BRAKE FLUID







SYNTROL LUBRICANTS

Ajman, United Arab Emirates info@syntrollubricants.com

Tel: 00971 422 72425